BATO
Reliable Ever

PRODUCT CATALOGUE 2026
Trusted by customers in 27 countries

BATO TRADE · SPACER PRODUCT RANGE

REBAR SPACERS & FORMWORK ACCESSORIES

Rebar spacers, tie-rod sleeves and accessories, chamfers, safety caps, waterstops and joint tapes for reinforced concrete.



PE SLEEVES


PVC CHAMFERS


WHEELSPAC


CUBIC SPACERS


CHOCK SPACERS


SQUARE SHIMPAD


MUSHCAP

6 PRODUCT GROUPS **38** PRODUCTS **152** ORDER CODES **27** EXPORT COUNTRIES

info@batotrade.com · +90 553 847 43 73 · +90 541 938 34 41 · www.batotrade.com

PRODUCT CATALOGUE 2026

PRODUCT RANGE

All products are listed by order code. Quote the code and the number of packs when requesting an offer.

PRODUCT GROUPS	PRODUCTS	ORDER CODES	EXPORT NETWORK
6	38	152	27 countries

01 REBAR SPACERS & CHAIRS — p. 03


Respac — 13015 – 13075 — p. 03


Chock Spacers — 13515 – 13530 — p. 04


Heavy Rebar Clips — Extra — 13450 – 13490 — p. 05


Circular Spacers — 15149 – 15225 — p. 06


Square Shimpad — 12602 – 12620 — p. 03


Cubic Spacers — 13615 – 13650 — p. 04


Rebar Clips — Precast Type — 13215 – 13220 — p. 05


Pile Cage Spacers — 11200 – 11205 — p. 06


Wheelspac — 11010 – 11175 — p. 04


Heavy Rebar Clips — 13115 – 13195 — p. 05


Ring Spacers — 11250 – 11253 — p. 06

02 TUBES, CONES, CAPS & STOPPERS — p. 07


PE Plastic Sleeve — Smooth — 12225 – 12632 — p. 07


Cone — 10022 – 10026 — p. 08


Formcap & Stopcap — 17322 – 17324 — p. 08


PE Plastic Sleeve — Rough — 12325 – 12635 — p. 07


Sleeve Conic Stopper — 17122 — p. 08


PVC Plastic Sleeve — 12419 – 12426 — p. 07


Sleeve Stopper with Cap — 17222 — p. 08

03 CHAMFERS — p. 09


PVC Triangle Chamfer — 12021 – 12135 — p. 09


FormFill — 12077 — p. 10


PVC Triangle Chamfer — with Flange — 12530 – 12635 — p. 09


PE Chamfer — 12614 — p. 10

04 SITE SAFETY — p. 11


Mushcap — High Duty — 17300 – 17301 — p. 11


Hoglas — 17302 – 17303 — p. 11


Orange Safety Net — 17226 — p. 11

05 TIE-ROD FITTINGS & SITE SUPPLIES — p. 12


Anchor Nuts, Waterstopper & Washer — 15101 – 17082 — p. 12


Block Lock with Springs — 15004 – 15005 — p. 13


Swivel-Fixed Clamps — 17080 – 17081 — p. 12


Block Lock Key with Handle — 15007 — p. 13


Tie-Rod Bars — 15000 – 17076 — p. 13


Formwork Release Oil — 17090 – 17091 — p. 13

06 WATERSTOPS & JOINT TAPES — p. 14


Hydrophilic Waterstop Plugs & Rings — 17822 – 17922 — p. 14


TPE Expansion Joint Tape — 186115 – 186180 — p. 15


PVC Waterstop Tape — Types A – AK — p. 16


Hydrophilic Waterstop Tapes — 18205 – 18325 — p. 14


TPE Chamfer Tape — 61010 – 61050 — p. 15


Bentonite Waterstop Tapes — 18405 – 18525 — p. 15


Butyl Tape — BUTN10 – BUTA15 — p. 16

CHAPTER 01 · 11 PRODUCTS

01 REBAR SPACERS & CHAIRS

Plastic spacers that hold reinforcement in position and guarantee the specified concrete cover — for walls, columns, slabs, foundations and precast elements.





RESPAC

13015 – 13075

Chair-type clip spacer for bottom reinforcement of slabs, foundations and beams.

Slabs · Foundations · Beams

CODE	HEIGHT (MM)	BAR Ø (MM)	QTY. / PACKAGE (PCS)	QTY. / PALLET (PCS)
13015	15	8–12	500 / 3000	60,000
13020	20	6–14	500 / 4000	72,000
13025	25	6–14	500 / 3500	63,000
13030	30	6–14	500 / 2500	45,000
13040	40	6–14	250 / 1250	30,000
13050	50	6–16	125 / 1250	20,000
13075	75	10–20	125 / 1000	16,000

NEW



SQUARE SHIMPAD

12602 – 12620

Square shim pads, 70 × 70 mm, for levelling and packing precast elements and formwork.

Precast · Levelling

CODE	THICKNESS (MM)	SIZE (MM)	PACKAGE	QTY. / PALLET (PCS)
12602	2	70 × 70	250 pcs	45,000
12603	3	70 × 70	250 pcs	45,000
12605	5	70 × 70	125 pcs	22,500
12607	7	70 × 70	125 pcs	22,500
12609	9	70 × 70	125 pcs	22,500
12610	10	70 × 70	125 pcs	22,500
12620	20	70 × 70	50 pcs	10,800



WHEELSPAC

11010 – 11175

Circular clip-on spacers for vertical reinforcement. The wheel rolls with the formwork and keeps the specified concrete cover on all sides.

Walls · Columns · Beams · Precast elements

CODE	HEIGHT (MM)	BAR Ø (MM)	QTY. / PACKAGE (PCS)	QTY. / PALLET (PCS)
11010	10	6–10	1000 / 5000	100,000
11015	15	6–12	500 / 4000	100,000
11115	15	12–18	500 / 4000	100,000
11020	20	6–12	500 / 4000	72,000
11025	25	6–14	500 / 2500	45,000
11125	25	12–18	500 / 2500	45,000
11030	30	8–14	250 / 1500	30,000
11130	30	16–20	250 / 1500	30,000
11035	35	8–14	200 / 1000	18,000
11040	40	12–18	125 / 750	13,500
11050	50	12–30	100 / 500	9,000
11150	50	10–20	100 / 500	9,000
11060	60	8–16	100 / 500	9,000
11075	75	8–18	100 / 500	7,500
11175	75	20–26	100 / 500	–



CHOCK SPACERS

13515 – 13530

Multi-height block spacer with seats for several bar positions.

Slabs · Foundations

CODE	HEIGHT (MM)	PACKAGE
13515	15	1,000 pcs
13520	20	1,000 pcs
13525	25	1,000 pcs
13530	30	1,000 pcs



CUBIC SPACERS

13615 – 13650

Stable cubic spacer offering several heights in one piece.

Slabs · Foundations

CODE	HEIGHT (MM)	PACKAGE
13615	15–25	1,000 pcs
13650	25–30–40–50	500 pcs



HEAVY REBAR CLIPS

13115 – 13195

Reinforced chair spacer for heavy loads and larger bar diameters, from 15 to 150 mm cover.

Foundations · Raft slabs · Heavy loads

CODE	HEIGHT (MM)	BAR Ø (MM)	PACKAGE
13115	15	8–20	1,000 pcs
13120	20	8–24	1,000 pcs
13125	25	8–24	1,000 pcs
13130	30	8–24	1,000 pcs
13135	35	8–24	1,000 pcs
13140	40	8–24	1,000 pcs
13150	50	8–24	500 pcs
13175	75	10–28	500 pcs
13190	100	10–28	350 pcs
13195	150	10–28	150 pcs



HEAVY REBAR CLIPS — EXTRA

13450 – 13490

Extra-heavy version for 20–32 mm bars in thick foundations and infrastructure works.

Infrastructure · Bridges · Thick foundations

CODE	HEIGHT (MM)	BAR Ø (MM)	PACKAGE
13450	50	20–32	250 pcs
13475	75	20–32	200 pcs
13490	100	20–32	150 pcs



REBAR CLIPS — PRECAST TYPE

13215 – 13220

Clip spacer designed for precast concrete production.

Precast plants

CODE	HEIGHT (MM)	BAR Ø (MM)	PACKAGE
13215	15	6–12	1,000 pcs
13220	20	8–14	1,000 pcs



RING SPACERS

11250 – 11253

Compact ring-type spacer that clips onto the bar for uniform cover in light reinforcement.

Walls · Precast elements

CODE	HEIGHT (MM)	BAR Ø (MM)	PACKAGE
11250	15	8	1,000 pcs
11251	15	17	1,000 pcs
11252	20	15	1,000 pcs
11253	20	20	500 pcs



CIRCULAR SPACERS

15149 – 15225

Open circular spacer with multiple contact points, fitted around reinforcement cages.

Round columns · Cages

CODE	HEIGHT (MM)	DIAMETER (MM)	PACKAGE
15149	15	150	1,000 pcs
15220	20	200	500 pcs
15225	25	200	500 pcs



PILE CAGE SPACERS

11200 – 11205

Large-diameter roller spacer for bored-pile and diaphragm-wall reinforcement cages; rolls along the bore wall during installation.

Bored piles · Diaphragm walls

CODE	HEIGHT (MM)	BAR Ø (MM)	PACKAGE
11200	50	8–12	250 pcs
11205	75	8–16	100 pcs

CHAPTER 02 · 7 PRODUCTS

02 TUBES, CONES, CAPS & STOPPERS

Tie-rod tubes, cones, caps and stoppers for wall formwork and precast production.





PE PLASTIC SLEEVE — SMOOTH

12225 – 12632


CODE	SIZE (MM)	QTY. / PACKAGE	QTY. / PALLET
12225	22–25	100 m	8,000 m
12226	22–26	100 m	8,000 m
12630	26–30	50 m	5,600 m
12631	26–31	50 m	5,600 m
12632	26–32	50 m	5,600 m



PE PLASTIC SLEEVE — ROUGH

12325 – 12635

CODE	SIZE (MM)	QTY. / PACKAGE	QTY. / PALLET
12325	22–25	100 m	8,000 m
12326	22–26	100 m	8,000 m
12633	26–30	50 m	5,600 m
12634	26–31	50 m	5,600 m
12635	26–32	50 m	5,600 m



PVC PLASTIC SLEEVE

12419 – 12426

Plastic sleeve that protects the tie-rod inside the wall so it can be pulled out and reused. Supplied in 2.0, 2.5 and 3.0 m lengths.

Wall formwork

CODE	SIZE (MM)	LENGTH (M)	QTY. / PACKAGE	QTY. / PALLET
12419	14–19	2.0 / 2.5 / 3.0	100 m	8,000 m
12424	20–24	2.0 / 2.5 / 3.0	100 m	8,000 m
12425	22–25	2.0 / 2.5 / 3.0	100 m	5,600 m
12426	22–26	2.0 / 2.5 / 3.0	100 m	5,600 m



CONE

10022 – 10026

Cone fitted on the sleeve ends; seals the sleeve against the formwork face.

Wall formwork

CODE	SIZE (MM)	QTY. / PACKAGE	QTY. / PALLET
10022	22	500 pcs / bag	65,000 pcs
10026	26	250 pcs / bag	47,500 pcs



SLEEVE CONIC STOPPER

17122

Plugs for closing tie-rod holes after formwork removal.

Tie-rod holes

CODE	SIZE (MM)	QTY. / PACKAGE	QTY. / PALLET
17122	22	500 pcs	192,000 pcs



SLEEVE STOPPER WITH CAP

17222

Capped plug that closes the sleeve opening for a neat surface.

Tie-rod holes

CODE	SIZE (MM)	QTY. / PACKAGE	QTY. / PALLET
17222	22	250 pcs	75,000 pcs



FORMCAP & STOPCAP

17322 – 17324

End caps for formwork sleeves and water stoppers.

Wall formwork · Watertight walls

CODE	PRODUCT	QTY. / PACKAGE (PCS)	QTY. / PALLET (PCS)
17322	Formcap L: 30 mm Ø: 22–25 mm	500 / 4000	65,000
17324	Stopcap (for Waterstopper)	500 / 4000	40,000

CHAPTER 03 · 4 PRODUCTS

03 CHAMFERS

PVC and PE chamfers for clean, bevelled edges on cast concrete.






PVC TRIANGLE CHAMFER

12021 – 12135

Triangular PVC fillets fixed in formwork corners for clean, bevelled concrete edges.

Column & beam edges · Precast

CODE	LENGTH (M)	A (MM)	B / C (MM)	QTY. / PACKAGE	QTY. / PALLET
12021	2.0	20	15	100 m	8,400 m
12029	2.0	30	20	100 m	8,400 m
12130	2.5	30	20	100 m	10,500 m
12035	2.0	35	25	100 m	8,000 m
12036	2.0	35	35	40 m	4,000 m
12135	2.5	35	25	100 m	10,000 m




PVC TRIANGLE CHAMFER — WITH FLANGE

12530 – 12635

PVC chamfer with a fixing flange for clean, bevelled concrete edges.

Column & beam edges · Precast

CODE	LENGTH (M)	A (MM)	B (MM)	C (MM)	QTY. / PACKAGE	QTY. / PALLET
12530	2.5	32	20	15	100 m	7,600 m
12531	2.0	38	29	20	100 m	7,600 m
12630	2.5	38	29	20	100 m	9,500 m
12535	2.0	44	35	24	100 m	7,000 m
12635	2.5	44	35	24	100 m	7,600 m



PE CHAMFER

12614

PE chamfer strip for clean, bevelled concrete edges.

Column & beam edges · Precast

CODE	LENGTH (M)	A (MM)	B (MM)	C (MM)	QTY. / PACKAGE	QTY. / PALLET
12614	2.5	10	14.2	25	100 m	5,000 m

* PVC free.

NEW



FORMFILL

12077

Modular plastic infill profile for formwork joints. Snaps in quickly and stops concrete leakage.

Formwork joints · Precast

CODE	TOP WIDTH (MM)	HEIGHT (MM)	LENGTH (M)	PACKAGE	QTY. / PALLET
12077	77	27	2.0	40 m (20 pcs)	2,000 m

CHAPTER 04 · 3 PRODUCTS

04 SITE SAFETY

High-visibility protective caps for protruding reinforcement bars and orange safety net for marking site areas.







MUSHCAP — HIGH DUTY

17300 – 17301

High-visibility mushroom-type caps for protruding bar ends, reducing the risk of impalement injuries on site.

Starter bars | Site safety

CODE	Ø (MM)	QTY. / PACKAGE (PCS)	QTY. / PALLET (PCS)
17300	8–16	125 / 750	30,000
17301	18–32	125 / 500	8,000



HOGLAS

17302 – 17303

Sandglass-shaped caps that grip a wide range of bar diameters.

Starter bars | Site safety

CODE	Ø (MM)	QTY. / PACKAGE (PCS)	QTY. / PALLET (PCS)
17302	8–16	250 / 2500	30,000
17303	16–32	150 / 1500	10,000



ORANGE SAFETY NET

17226

Orange plastic safety net for marking and securing site areas.

Site safety

CODE	SIZE	QTY. / PACKAGE	QTY. / PALLET
17226	1 × 50 m	100 rolls	100 rolls

CHAPTER 05 · 6 PRODUCTS

05 TIE-ROD FITTINGS & SITE SUPPLIES

Tie-rod fittings, release oil and safety net for formwork and site work.





ANCHOR NUTS, WATERSTOPPER & WASHER

15101 – 17082

Anchor nuts for tie-rod bars in 70, 90 and 120 mm, the water stopper for watertight walls and the washer.

Wall formwork | Watertight walls

CODE	PRODUCT	QTY. / PACKAGE	QTY. / PALLET
17079	Anchor Nut 70 mm	100 pcs	5,000 pcs
17078	Anchor Nut 90 mm	50 pcs	5,000 pcs
17082	Anchor Nut 120 mm	50 pcs	2,000 pcs
17077	Waterstopper	50 pcs	5,000 pcs
15101	Washer 120 × 140 × 4 mm	50 pcs / bundle	5,000 pcs



SWIVEL-FIXED CLAMPS

17080 – 17081

Forged 48 mm formwork clamps, German type.

Wall formwork

CODE	PRODUCT	QTY. / PACKAGE	QTY. / PALLET
17080	Swivel Clamp, Forged, 48 mm, Silver, German Type	50 pcs	2,000 pcs
17081	Fixed Clamp, Forged, 48 mm, Silver, German Type	50 pcs	2,000 pcs



TIE-ROD BARS

15000 – 17076

Threaded steel tie-rod bars for wall formwork systems.

Wall formwork

CODE	LENGTH (CM)	Ø (MM)	PACKAGE
15000	100	17	100 pcs / bundle
15009	120	17	100 pcs / bundle
15010	150	17	100 pcs / bundle
15013	200	17	100 pcs / bundle
15015	300	17	100 pcs / bundle
17076	600	15/17	100 pcs / bundle

* 17076: 6 m or requested length, 90 kN.



BLOCK LOCK WITH SPRINGS

15004 – 15005

Spring formwork clamp for joining panel formwork.

Panel formwork

CODE	FINISH	BAR Ø (MM)	PACKAGE
15004	Painted	10	50 pcs / sack
15005	Galvanised	10	50 pcs / sack



BLOCK LOCK KEY WITH HANDLE

15007

Hand tool for tightening and releasing block locks.

Panel formwork

CODE	TYPE	BAR Ø (MM)	PACKAGE
15007	Manual	10	1 pc



FORMWORK RELEASE OIL

17090 – 17091

Mineral-based release oil for easy stripping of formwork.

Formwork

CODE	CONTENT	QTY. / PACKAGE	QTY. / PALLET
17090	30 liters	1 pc	36 pcs
17091	200 liters	1 pc	4 pcs

CHAPTER 06 · 7 PRODUCTS

06 WATERSTOPS & JOINT TAPES

Hydrophilic and bentonite waterstops and TPE tapes for sealing joints and penetrations in watertight concrete.





HYDROPHILIC WATERSTOP PLUGS & RINGS

17822 – 17922

Swelling plugs and rings that seal tie-rod holes and pipe penetrations in watertight concrete.

Tie-rod holes · Watertight walls

CODE	PRODUCT	EXPANSION / PRESSURE	QTY. / PACKAGE	QTY. / PALLET
17822	Plug 22 mm	≥300% · 7 bar	400 pcs	20,000 pcs
17826	Ring 26 mm	≥300% · 7 bar	300 pcs	14,400 pcs
17922	Ring 22 mm	≥300% · 7 bar	200 pcs	9,600 pcs
17826	Ring 26 mm	≥300% · 7 bar	100 pcs	6,000 pcs

* BBA Test No: T1-61007.



HYDROPHILIC WATERSTOP TAPES

18205 – 18325

Swelling tapes that seal construction joints in watertight concrete. Red: standard. Blue: self-adhesive.

Construction joints · Watertight walls

CODE	TYPE	SIZE (MM)	PACKAGE
18205	Hydrophilic, red, ≥300%	20 × 5	140 m
18210	Hydrophilic, red, ≥300%	20 × 10	70 m
18225	Hydrophilic, red, ≥300%	20 × 25	25 m
18305	Self-adhesive hydrophilic, blue	20 × 5	140 m
18310	Self-adhesive hydrophilic, blue	20 × 10	70 m
18325	Self-adhesive hydrophilic, blue	20 × 25	25 m

* ≥600% and ≥1300% expansion and self-adhesive options available.

* BBA Test No: T1-61007.




BENTONITE WATERSTOP TAPES

18405 – 18525

Bentonite swelling tapes for sealing construction joints. Blue: self-adhesive.

Construction joints · Watertight walls

CODE	TYPE	SIZE (MM)	PACKAGE
18405	Bentonite, ≥200%, 5 bar	20 × 5	70 m
18410	Bentonite, ≥200%, 5 bar	20 × 10	50 m
18425	Bentonite, ≥200%, 5 bar	20 × 25	25 m
18505	Self-adhesive bentonite, blue	20 × 5	70 m
18510	Self-adhesive bentonite, blue	20 × 10	50 m
18525	Self-adhesive bentonite, blue	20 × 25	25 m




TPE EXPANSION JOINT TAPE

186115 – 186180

Flexible TPE tape for expansion and dilatation joints. 25 m per roll; codes by width and thickness.

Expansion joints · Dilatation joints

WIDTH (CM)	1.00 MM	1.50 MM	2.00 MM
15	186115	186120	186125
20	186130	186135	186140
25	186145	186150	186155
30	186160	186165	186170
40	186175	186180	–



TPE CHAMFER TAPE


61010 – 61050

Elastic TPE joint and chamfer tape with felt or polyester reinforced edges, for waterproofing structural joints. 120 mm wide, 0.60 mm thick.

Chamfers in wet rooms · Water tanks · Cold joints & cracks

CODE	ROLL LENGTH	WIDTH (MM)	QTY. / PALLET
61010	10 m	120	12,000 m
61050	50 m	120	12,000 m

* Service temperature −40 / +90 °C; water pressure resistance 1.5 bar.



BUTYL TAPE

BUTN10 – BUTA15

Self-adhesive butyl rubber sealing tape, reinforced with nonwoven fabric or aluminium foil. Bonds to metal, concrete, masonry, wood, glass and hard PVC; UV, weather and water resistant; vapour tight.

Construction sealing · Ventilation ducts · Curtain wall joints

CODE	REINFORCEMENT	WIDTH (MM)	ROLL LENGTH	QTY. / BOX	QTY. / PALLET
BUTN10	Nonwoven	100	10 m	12 rolls · 120 m	3,600 m
BUTA10	Aluminium	100	10 m	12 rolls · 120 m	3,600 m
BUTN15	Nonwoven	150	10 m	6 rolls · 60 m	1,800 m
BUTA15	Aluminium	150	10 m	6 rolls · 60 m	1,800 m

* Pallet: 30 boxes (BATO butyl catalogue). Surfaces must be dry and clean; press on with a roller.



PVC WATERSTOP TAPE

Types A – AK

Flexible PVC waterstops for construction and expansion joints (TS 3078 / DIN 18541). Rolls of 15, 20 or 25 m.

Construction joints · Expansion joints

TYPE	PROFILE SHAPE	WIDTH (CM)	WING THICKNESS (MM)
A		15 / 20 / 22 / 23 / 25 / 30	4 – 10
O		15 / 20 / 22 / 26 / 28 / 30 / 31 / 32	3 – 6
OL		20 / 25 / 30 / 31 / 32 / 33 / 35	5 – 10
B		15 / 20 / 25 / 30	5 – 10
I		15 / 20 / 25 / 30	3 – 8
V		15 / 20 / 25	3 – 8
M		20 / 25 / 30	4 – 10
DO		20 / 25 / 35	4 – 8
DI		20 / 25	4 – 8
DT		20 / 25	4 – 8
AK		20 / 24	3 – 6

* Order code AK-20 (20 cm × 20 m): 612020.

ORDER THE EASY WAY

QUOTATION REQUEST

Fill in the order codes and the number of packs, then send this page by e-mail or WhatsApp. We reply with an offer, packing list and delivery details.

COMPANY

CONTACT PERSON

COUNTRY / CITY

E-MAIL / PHONE

DELIVERY PORT OR ADDRESS

PREFERRED INCOTERM (EXW / FOB / CIF …)

CODE	PRODUCT	QUANTITY (PACKS)	NOTES

E-MAIL
info@batotrade.com

WHATSAPP
+90 541 938 34 41

PHONE
+90 553 847 43 73
+90 541 938 34 41

BATO

Reliable Ever

CONTACT

REQUEST A QUOTATION

Send us the order codes and quantities you need — our export team will reply with an offer, packing list and delivery details.

E-MAIL

info@batotrade.com

PHONE

+90 553 847 43 73

+90 541 938 34 41

WHATSAPP

+90 541 938 34 41

WEB

www.batotrade.com

ADDRESS

BATO Dış Ticaret Limited Şirketi

Kurtköy Mah. Ankara Cad. Yelkan Plaza No:289/41, Pendik / İstanbul, Türkiye

27 countries in our customer network

Specifications and packaging may change without notice.
Product photos are for illustration.